

—easy!—
BY FHL

SUPER-CHARGE
THE SMART CHARGING SOLUTION

BY FHL



AND AT HOME

FOR BISTRO

&



- ✓ NO MORE FIDDLY CHARGING
- ✓ LARGE SELECTION OF LIGHTS
- ✓ SIMULTANEOUS CHARGING OF MANY LIGHTS



ADVANTAGES



- Simple charging of battery-powered lights
- 15-unit charging station suitable for standardised catering trolleys
- At least 6 years repurchase guarantee
- 3-year guarantee on the light
- Charging stations with strong magnetic holder for safe transport e.g. for catering trolleys
- Several charging stations can be connected via one cable
- Stronger batteries for long runtimes without charging
- Lights can be operated via switches in the base (not directly adjustable by the guest)
- Lights can also be switched via a remote control (remote control can be used centrally for all lights)
- Uniform switching of the light colour/brightness level when switching on again after charging
- Various functions: adjustable light colour, RGB colour change option, dimmable
- Lighting function also possible in charging mode
- Wide range of lights in different shapes, materials, sizes and colours



CHARGING PLATES

850371 SUPER CHARGE M



15-fach Charging plates
15 x 5V DC 1A
Inkl. 2 x Remote control
1 x Power cable
↔ 75,2 x 43,4 cm, ↑ 4,5 cm

850388 SUPER CHARGE M



6-fach Charging plates
6 x 5V DC 1A
Inkl. 2 x Remote control,
1 x Power cable
↔ 43 x 31,5 cm, ↑ 4,5 cm

870043 SUPER CHARGE



1-fach Charging plates
Inkl. Remote control, USB-Kabel
ø 11 cm

850386 SUPER CHARGE



3-fach Charging plates
3 x 5V 1A
Adapter with switch
↔ 45 x 13,5 cm, ↑ 3,5 cm

LAMPS

850363 COSENZA PRO



Table lamp
black mat
1 x LED 2 W
2200/2700/3500 K, 270 Lumen
ø 11,5 cm, ↑ 30 cm



850366 COSENZA PRO



Table lamp
sand white
1 x LED 2 W
2200/2700/3500 K, 270 Lumen
ø 11,5 cm, ↑ 30 cm



850356 DORD PRO



Table lamp
black mat
1 x LED 2,5 W
2200/2700/3500 K, 200 Lumen
ø 12 cm, ↑ 28 cm



850360 TERMOLI PRO



Table lamp
white
1 x LED 1,5 W + 0,8 W RGB
2200/2700/3500 K, 170 Lumen
ø 12 cm, ↑ 25 cm



850362 RUBY PRO



Table lamp
white
1 x LED 1 W + 0,5 W RGB
2200/2700/3500 K, 80 Lumen
ø 12 cm, ↑ 16 cm

